

## Overview and Applications

Low moulding temperature and pressure, excellent temperature consistency and front loading capabilities, that's the Mastip MX nozzle, specifically designed for multi cavity manifold systems and hot halves. The MX nozzle is suited for small to medium applications in all types of markets. It is able to process a wide range of plastics, from the easy ethylenes to tough engineering resins.

## Features

### Mould Design

- Efficiently designed profile to allow closer cavity pitching
- Shares the same gate profiles as BX and SX
- Available in both thermal and valve gate options
- Consistent nozzle lengths across the range
- Ability to mould large parts with smaller nozzles due to optimum flow characteristics

### Operation


- Wide moulding window
- Excellent temperature profile and thermal stability
- Operates at low moulding pressure and temperature
- Optimum cycle times due to superior thermal insulation
- Uses an advanced micro coil heater with integrated heat deflection tube

### Installation and Maintenance

- Front loading capability for easier servicing of tips, heaters and thermocouples
- Simple machining and installation requirements
- Improved reliability due to the use of advanced materials
- Common tip and nut options provide ready availability of spare parts

Availability			
	13 Series	16 Series	19 Series
L	45		—
	55		
	65		
	75		
	95		
	115		
	145		
	175		
A/F	24	26	36
d2	28	30	40
L4	12		15

All measurements are in millimeters



## Gating Options

	Multi-Hole Torpedo Tip	One-Hole Torpedo Tip	Open Tip	Extended Tip	Valve Gate Torpedo Tip	Valve Gate Open tip
Open Nut						
Bush Nut						
Sprue Nut						